



MARK XT™ HD 3-IN-1

Introducing Graco's NEW Xtreme Torque™
Lineup of Professional Mark HD Sprayers

EUROPE, MIDDLE EAST & AFRICA



PROVEN QUALITY. LEADING TECHNOLOGY.



INTRODUCING

BREAKTHROUGH XT TECHNOLOGY

PATENT PENDING

NEW FOR 2024

UP TO 10X QUIETER WITH THE
NEW SOUND OF QUALITY™

UNRIVALED FINISH QUALITY WITH
THE WORLD'S STEADIEST RUNNING
PRESSURE

SELECTABLE PERFORMANCE MODES™

LONGEST LIFE BEFORE SERVICE

FASTEST SERVICE ON JOBSITE

PUMP WEAR PREVENTION

FASTEST CLEANING
USING LESS FLUID

LOWEST COST OF OWNERSHIP

EXPERIENCE AIRLESS LIKE NEVER BEFORE

XTREME TORQUE™ MOTOR

Experience a new level of performance with the first motor ever designed specifically for airless spray and made by Graco.

THE SOUND OF QUALITY

Advanced design eliminates multistage gear trains and reduces motor speed by 90% and noise by up to 10X.

RAPID-RESPONSE™ CONTROL

Delivers the world's steadiest running pressure. Dial-in 1 bar increments with the widest performance range in the industry (3-227 bar).

SELECTABLE PERFORMANCE WITH THE PUSH OF A BUTTON

Low Pressure Mode (L): Optimized performance range to eliminate overspray and improve finish.

High Pressure Mode (H): Offers maximum performance for extended hose lengths and difficult to atomize materials.

ENDURANCE VORTEX® PISTON PUMPS WITH PROCONNECT®

Auto-rotating vortex rod balances load and prolongs pump life—proven ProConnect replacement system eliminates downtime.

LED DIGITAL DISPLAY

Features a bright, easy-to-read LED display. See the performance from across the room!

TURBOCLEAN™

Efficiently cleans 3X faster using half the fluid, significantly reducing recycling costs.

WATCHDOG™ PUMP PROTECTION

Intelligent auto-shutoff feature activates when the sprayer runs out of material, safeguarding the pump and maintaining consistent performance.

OPTIMIZED FOR THICKER MATERIALS

Direct Immersion Vortex Pump puts the pump inlet right in the material eliminating the suction tube.

Oversized fluid passages and hoses allow for more fluid flow area and less pressure loss when spraying thick coatings.



Mark VII XT™
ProContractor Series
19F744



BREAKTHROUGH FEATURES ACROSS THE ENTIRE XT LINEUP

NEW FOR 2024

FEATURING

BREAKTHROUGH XTREME TORQUE™ MOTOR

PATENT PENDING

**1ST MOTOR EVER DESIGNED BY
GRACO SPECIFICALLY FOR AIRLESS SPRAY**


15X MORE TORQUE THAN TRADITIONAL MOTORS

8X MORE MAGNETS
DELIVERS RAPID ACCELERATION AND SMOOTH PERFORMANCE

90% LOWER RUNNING SPEEDS

**MONITORS PRESSURE 60X
PER MOTOR REVOLUTION**

UP TO 10X QUIETER OPERATION
DELIVERS THE NEW SOUND OF QUALITY™



D E S I G N E D , E N G I N E E R E D & M A N U F A C T U R E D B Y G R A C O

FEATURING

THE WORLD'S WIDEST & STEADIEST RUNNING PRESSURE

EXPERIENCE NEXT-GENERATION PERFORMANCE

SPRAY MORE JOBS WITH THE WORLD'S STEADIEST PRESSURE CONTROL

- Rapid-Response™ Control eliminates pressure fluctuations by continuously monitoring pressure— 60X per motor revolution
- Instantly adjusts motor speed to eliminate 75% of pressure fluctuations for a Perfect Airless Finish™

WIDEST PERFORMANCE RANGE — FROM 3 TO 227 BAR

- Offers the largest operating pressure range providing full control and maximum productivity
- Flexible for more applications— coatings, hose lengths and tip sizes to meet every application

PUSH-BUTTON PERFORMANCE

- Two selectable performance modes offer unique performance levels to boost efficiency on every job
- Features a bright easy-to-read LED Display— see performance from across the room

MAXIMIZE UPTIME

- TurboClean™ cleans the pump 3X faster with 1/2 the fluid
- WatchDog™ Pump Protection automatically shuts down the sprayer when out of material, preventing premature wear

BRING ON SAVINGS WITH SELECTABLE PERFORMANCE



Mark VII XT™
ProContractor Series
19F744

(L) LOW PRESSURE PERFORMANCE MODE 3-140 BAR

- Optimized performance range to eliminate overspray and improve finish with RAC X™ LP SwitchTips™
- Adjustable in 1 bar increments— achieve extreme control down to 3 bar



(H) HIGH PRESSURE PERFORMANCE MODE 35-227 BAR

- Ideal for difficult to atomize materials, extended hose lengths or during cold running conditions
- Use this mode for the best finish with any RAC® SwitchTip



SEE THE XT DIFFERENCE

graco.com/XT

FEATURING

UNRIVALED PUMP DURABILITY & PERFORMANCE

SPRAYS 3X MORE LITERS THAN THE NEAREST COMPETITOR

- Endurance Vortex piston pumps are made using the highest grade materials to deliver the industry's longest life
- Proven proprietary V-MAX Blue™ packings individually supported on chrome piston rod to deliver reliability you can count on

ENDURANCE VORTEX TECHNOLOGY ON ALL MODELS

- Delivers the longest pump life by automatically rotating piston rod to extend pump life
- Virtually eliminates side loading

MORE COATING APPLIED PER PISTON STROKE

- Up to 80% longer piston stroke than competitive models — enhances flow and boosts performance
- Extended piston stroke design increases wear surface and improves hard part life


ELIMINATE DOWNTIME WITH PROCONNECT JOBSITE SERVICEABILITY



Loosen the Clamping Nut Open Door & Remove Pump Remove Hose & Suction Tube



Eliminate Downtime with ProConnect On-the-Job Pump Replacement — now included on ALL XT Models



VORTEX TECHNOLOGY

Rotating rod for extended life

360° WEAR SURFACE

- Even loading delivers the longest pump life

HELICAL PISTON ROD DESIGN

- Delivers high-velocity flow to rotate pump rod as you spray
- The piston rod slowly turns — balancing wear and extending life

OVERSIZED MAXFLOW 2 INLET

- Offers 4X more flow than typical pumps and pack-out resistance.

PROCONTRACTOR **XT**

UPGRADE TO PROCONTRACTOR™ FOR 6X LONGER PUMP LIFE

- Proprietary piston and sleeve delivers 6X more liters pumped between repacks
- Included on all ProContractor Series models



Endurance Vortex Chromex™ Pump
Lasts 3X longer than competing pumps

Endurance Vortex MaxLife Extreme Pump
Extends pump rod life by 3X — delivering the industry's lowest cost of ownership

XT STANDARD SERIES

EVERDAY RELIABILITY FOR LARGER JOBS

Larger coating jobs demand the proven quality and performance of Graco's Mark XT Standard Series sprayers to deliver a job well done, every time.



MARK XT STANDARD SERIES MODELS:

NEW UP TO 10X QUIETER OPERATION

Xtreme Torque™ Motor Technology

- Experience a new level of performance with the first motor ever designed specifically for airless spray

NEW WORLDS STEADIEST RUNNING PRESSURE

Rapid-Response™ Control

- Dial in 1 bar increments with the widest performance range (3-227 bar)

NEW PUSH BUTTON PERFORMANCE

Selectable Performance Modes

- **Low Pressure Mode:** Optimized performance range to eliminate overspray and improve finish
- **High Pressure Mode:** Offers maximum performance for extended hose lengths and difficult to atomize materials

NEW SEE PERFORMANCE FROM ACROSS THE ROOM

- Easy-to-Read LED Digital Display Maintain peak performance in any condition with a clear and visible display

NEW THE LONGEST LASTING DRIVE

Advantage Drive™

Hardened steel gears provide extremely quiet operation and a lifetime warranty

NEW FASTEST JOBSITE SERVICEABILITY

ProConnect Replacement System

- Eliminate costly downtime
- Quickly exchange pump in minutes on jobsite

NEW INDUSTRIES FASTEST CLEANING

TurboClean™ Cleaning System

- High-velocity fluid flow cleans the pump 3x faster using ½ the fluid

NEW PUMP WEAR PREVENTION

WatchDog™ Pump Protection

- Prevents pump damage if the material supply is too low by shutting off the pump automatically

EASY OUT PUMP FILTER

- Large inside out filtration process ensures a quality finish



Mark V XT™
Standard Series
19F739



THE WORLD'S WIDEST OPERATING AND STEADIEST PRESSURE RANGE



- **RAPID-RESPONSE SYSTEM™** features the most expansive pressure range (3-227 bar) for unmatched control
- Instantly responds for the steadiest pressure and Perfect Airless Finish™ by ensuring seamless motor transitions during pump changeovers



ONE SPRAYER, MANY APPLICATIONS

- **Paint:** sprays the full range of paints and primers
- **Heavy Coatings:** fireproofing, waterproofing, vapor-barrier, and more
- **Texture:** Airless Plaster, Orange Peel*, Splatter* and Knock-Down* (*with air atomizer kit)



FAST CLEANING NOW EVEN FASTER!

- **TURBOCLEAN™** Turbo Clean efficiently cleans 3X faster using half the fluid

NEW INCREASED PERFORMANCE

MODEL	MAX TIP SIZE (PAINT)	MAX TIP SIZE (PLASTER)	MAX LPM	PART #	PISTON PUMP TECHNOLOGY
Mark V XT Standard (CEE)	0.035	0.037	4.6	19F739	Endurance Vortex
Mark V XT Standard (UK)	0.039	0.041	5.6	19F740	Endurance Vortex
Mark VII XT Standard (CEE)	0.041	0.047	6.4	19F743	Endurance Vortex

MARK XT PROCONTRACTOR SERIES



INCLUDES ALL STANDARD SERIES FEATURES

PLUS:



Mark VII XT™
ProContractor Series
19F744

NEW SUPERIOR PUMP LIFE

Endurance Vortex MaxLife Extreme Piston Pumps

- MaxLife Extreme Technology extends rod life 3X longer delivering the industry's lowest cost of ownership — included on Mark V and VII XT ProContractor model

NEW EASY HOSE MANAGEMENT

QuikReel™ Hose Management System

- Deploy and rewind up your hose in seconds without twisting, kinking or coiling
- Use only the hose you need — the rest stays on the reel

BLUELINK™ JOBSITE MANAGEMENT SYSTEM 

- Know your job's progress, locate your sprayers and maximize uptime with this innovative technology that is free to use

NEW NEVER HAVE A FLAT AGAIN!

Flat Proof Tires

- Tires can't be punctured by nails, screws or other sharp debris

DURABLE FILTRATION

Crushproof Inlet Strainer

- Stands up to harsh impacts to maintain flow through filter

XT ACCESSORIES:

Upgrade your sprayer to maximize your productivity!

PART #	DESCRIPTION
25V145	Modular QuikReel Kit for Mark V XT
25V146	Modular QuikReel Kit for Mark VII XT
287987	90 liter Texture Hopper
17E687	Flat Proof Tire for Mark V XT and Mark VII XT - order 2
15V573	Crushproof Inlet Strainer for Mark V XT and Mark VII XT
20B432	SmartDisplay XT • Upgrade any XT Sprayer with Bluelink job-site management system
287253	Tool Box



ACCESSORIES TO HELP YOU WORK FASTER AND MORE PRODUCTIVELY

Ideal for knockdown, orangepeel, splatter coats, and decorative finishes.



NEW AIR ATOMIZER KIT WITH WIDETEX™

- Match or create a wide variety of spray patterns with easy to change fluid nozzles.
- Delivers round or fan spray pattern with WideTex spray tips.
- Eliminates fatigues associated with circular gun movement.



NEW INCREASED PERFORMANCE

MODEL	MAX TIP SIZE (PAINT)	MAX TIP SIZE (PLASTER)	MAX LPM	PART #	PISTON PUMP TECHNOLOGY
Mark V XT ProContractor (CEE)	0.035	0.037	4.6	19F741	Endurance Vortex MaxLife Extreme
Mark V XT ProContractor (UK)	0.039	0.041	5.6	19F742	Endurance Vortex MaxLife Extreme
Mark V XT ProContractor (MULTI)	0.035	0.037	4.6	20B959	Endurance Vortex MaxLife Extreme
Mark VII XT ProContractor (CEE)	0.041	0.047	6.4	19F744	Endurance Vortex MaxLife Extreme
Mark VII XT ProContractor (MULTI)	0.041	0.047	6.4	20B961	Endurance Vortex MaxLife Extreme

INTRODUCING THE 2024 MARK XT HD 3-IN-1 LINEUP

THE **XT** ADVANTAGE

	NEW Mark V XT-VII XT Standard Series	NEW Mark V XT-VII XT ProContractor Series
XT Motor with Reduced Drive Train	✓	✓
Up To 10X Quieter	✓	✓
Rapid-Response™ Pressure Control	✓	✓
Selectable Performance Modes with LED Display	✓	✓
Endurance Vortex® Pump	✓	✓
Piston and Sleeve Construction	Chromex™ / Hardened SST	MaxLife Extreme / MaxLife
ProConnect®	✓	✓
TurboClean™	✓	✓
WatchDog™	✓	✓
QuikReel™ Hose Management System		✓
SmartDisplay XT™ with BlueLink™		✓
CrushProof Inlet Strainer		✓
Flat Proof Tires		✓



		Mark V XT		Mark VII XT	
		STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR
PART#	230V (CEE)	19F739 (CEE)	19F741 (CEE)	19F743 (CEE)	19F744 (CEE)
	230V (MULTI)		20B959 (MULTI)		20B961 (MULTI)
	110V (UK)	19F740 (UK)	19F742 (UK)		
SPECIFICATIONS	MAX. TIP SIZE - 230V				
	- PAINT		0.035		0.041
	- PLASTER		0.037		0.047
	MAX. TIP SIZE - 110V				
	- PAINT		0.039		
	- PLASTER		0.041		
	MAX. FLOW LPM (GPM) - 230V		4.6 (1.2)		6.4 (1.7)
	MAX. FLOW LPM (GPM) - 110V		5.6 (1.5)		
	MAX. PRESSURE BAR (PSI)		227 (3300)		227 (3300)
	MOTOR RATING - KW - (HP) - 230V		1.7 (2.3)		2.1 (2.9)
MOTOR RATING - KW - (HP) - 110V		2.1 (2.9)			
WEIGHT KG (LBS)		55 (122)	64 (140)	57 (126)	67 (147)
PUMP	TYPE	Endurance Vortex		Endurance Vortex	
	ROD	Chromex	MaxLife Extreme	Chromex	MaxLife Extreme
	SLEEVE	Hardened SST	MaxLife	Hardened SST	MaxLife
	PROCONNECT REPLACEMENT SYSTEM	ProConnect		ProConnect	
FEATURES	XTREME TORQUE™ MOTOR	✓	✓	✓	✓
	RAPID-RESPONSE™ PRESSURE CONTROL	✓	✓	✓	✓
	PROGUARD™	✓	✓	✓	✓
	TURBOCLEAN™	✓	✓	✓	✓
	WATCHDOG™ PUMP PROTECTION	✓	✓	✓	✓
	BLUELINK™ MANAGEMENT	Modular Accessory	✓	Modular Accessory	✓
	EASYOUT FILTER™ (60 MESH)	✓	✓	✓	✓
	QUIKREEL™ HOSE MANAGEMENT	Modular Accessory	✓	Modular Accessory	✓
	FLATPROOF TIRES	Modular Accessory	✓	Modular Accessory	✓
	CRUSHPROOF INLET STRAINER	Modular Accessory	✓	Modular Accessory	✓
	TOOL BOX	Modular Accessory	✓	Modular Accessory	✓
INCLUDES	GUN	HD Blue Texture		HD Blue Texture	
	HOSE	3/8 in x 15m Blue Max II Airless Hose		1/2 in x 15m Blue Max II Airless Hose	
	WHIP HOSE	1/4" x 0.9m Blue Max II Whip Hose		3/8" x 3.5m Blue Max II Whip Hose	
	TIPS	HDA427 + HDA531		HDA531 + HDA541	
	FILTER	60 Mesh Easy Out		60 Mesh Easy Out	



SEE THE XT DIFFERENCE
www.graco.com/XT





OUR BRAND PROMISE TO YOU

Since 1926, **innovation**, **quality** and **A+ Service** have been at the centre of Graco.

Experience Innovation

Our focus on innovation results in products and equipment that lead the industry with technologically-advanced features, pioneering design, high performance and unparalleled reliability. In short, innovation is how you get better products!

Building Quality

You're investing in high-quality products built to last for years of reliable service. Moreover, we partner with our customers to better understand how you're deploying our products in the field, then use your experiences to improve performance and durability.



A+ service, every time

You'll see A+ Service in action when you contact any of our support services options no matter where you are in the world. We'll listen to your situation and work methodically to resolve it as quickly as we can. We are guided by a mindset of integrity and a customer service view centred on collaboration and relationships, not transactions.



We're here to answer questions and help address your needs:

www.graco.com/contact

Graco is certified ISO 9001.

©2024 Graco Distribution BV 3J0626ENEU-A 06/24. Printed in Europe.

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

All other brand names or marks are used for identification purposes and are trademarks of their respective owners. For more information on Graco's intellectual property, see www.graco.com/patent or www.graco.com/trademarks.